

SERIES DFH -

DEWERT VERSATILE TABLES WITH FIXED HEIGHT

2021.1




DURABLE

ROBUST

EASY-CARE

... WITH 2-SECTIONED LYING SURFACE

... WITH 3-SECTIONED LYING SURFACE



New series DFH - Dewert versatile tables with fixed height

Content



Good reasons for a table of series DFH	3
--	---



Versatile tables for examination and treatment made of square tube

2-sectioned tables with fixed height:	
• Model 21, 22, 32, 36 Length head part: 550 mm, positive adjustable	6
• Model 20 Length head part: 750 mm, positive adjustable	8
• Model 27, 37 Length head part: 550 mm, positive and negative adjustable	10
3-sectioned tables with fixed height:	
• Model 31 Length head part: 550 mm, positive adjustable	12
• Model 30 Length head part: 750 mm, positive adjustable	14

NEW



Versatile tables for examination and treatment made of round tube

2-sectioned tables with fixed height:	
• Model 106, 107 Length head part: 550 mm, positive adjustable	16
3-sectioned tables with fixed height:	
• Model 120 Length head part: 550 mm, positive adjustable	18
• Model 119 Length head part: 550 mm, positive and negative adjustable	20

Short tables for examination and treatment



1-sectioned tables with fixed height:	
• Model 16 Square tube	22
3-sectioned tables with fixed height and variable length:	
• Model 113, 114 Length head part: 550 mm, foot part can be hinged vertical	24
• Model 121 Length head part: 550 mm, foot part can be hinged vertical	26
• Model 122 Length head part: 450 mm, head part and foot part can be hinged vertical	28

Folding wall tables

• Model 125	30
• Model 126	32

New series DFH - Dewert versatile tables with fixed height

Good reasons for a table of series DFH

DEWERT

Präzisions-
Stahlrohrmöbel



Durable ✓



Robust ✓



Easy-care ✓



High load capacity ✓



Proven Dewert-quality ✓




Universal use ✓



Upholstery:

- Thickness of upholstery: 60 mm; Model 106, 107: 80 mm
- Multiple glued, high-strength laminated wood panel (thickness: 18 mm); no breaking chipboards in case of pressure on the edges
- Two-layer homogenous polyurethane foam, density 46 and 75, Ökotex-certified
- 2 different variants for artificial leather eligible for upholstery covering:
 - Skai® Pandoria Plus with velvet-smooth surface
 - Skai® Toronto EN with innovative staynu-technology



Dewert-hygiene-equipment

Enables optimal cleaning and disinfection

- Artificial leather underneath the upholstery
- Vent holes underneath the upholstery, closed by special caps with valve function
- Easy hygiene because of an open construction: good accessibility of components, no plastic coverings which are breakable in the ageing process
- Option:
Innovative artificial leather Skai Toronto EN with staynu



New series DFH - Dewert versatile tables with fixed height

Versatile tables for examination and treatment made of square tube:

Technology:



- Frame made of 30 x 30 x 2 mm square tube
- Cross brace between the feet
- Table not movable, including height adjustment screws to compensate for uneven ground
→ Option: mobility (longitudinal brace necessary)
- Galvanised steel hinges connect the upholstery parts
- Pairs of feet and frame are screwed together tightly
- Load capacity: 250 kg



Variants:

2-sectioned lying surface:

- Head part positive adjustable
- Fixed foot part, not adjustable

Length head part 550 mm: Model 21, 22, 27, 32, 36, 37




- 2 stable parallel mounted safety metal ratchets for positive adjustment of head part
→ Optional: comfortable adjustment by gas spring, stepless to +40°
- Model 27, 37: Head part stepless positive and negative adjustable by gas spring



Length head part 750 mm: Model 20



- Comfortable adjustment by gas spring, stepless to +75° to sitting position of patient



3-sectioned lying surface:

NEW

- Foot part positive adjustable by gas spring to +35°
- Fixed middle part



Length head part 550 mm: Model 31

Length head part 750 mm: Model 30



New series DFH - Dewert versatile tables with fixed height

Versatile tables for examination and treatment made of round tube:

Technology:



- Frame made of Ø 32 x 2 mm round tube
- Cross brace between the feet
- Table not movable, including height adjustment screws to compensate for uneven ground
→ Option: mobility (longitudinal brace necessary)
- Galvanised steel hinges connect the upholstery parts
- Frame welded as 1 unit (powder coated) or assembled out of 2 components (chromium-plated)
- Load capacity: 250 kg



Length head part: 550 mm



- 2 stable parallel mounted safety metal ratchets for positive adjustment of head part
→ Optional: comfortable adjustment by gas spring, stepless to +40°
- 3-sectioned lying surface: Foot part and head part positive adjustable or head part additionally negative adjustable



Versatile short tables for examination and treatment:

Technology:



- Frame either made of 30 x 30 x 2 mm square tube or Ø 32 x 2 mm round tube
- Cross brace between the feet
- Table not movable, including height adjustment screws to compensate for uneven ground
→ Option: mobility (longitudinal brace necessary)
- Galvanised steel hinges connect the upholstery parts (depending on model)
- Frame welded as 1 unit (powder coated) or assembled out of 2 components (chromium-plated)
- Load capacity: 250 kg

1-sectioned lying surface: Model 16, 17

3-sectioned lying surface:



- Head part either positive adjustable by 2 metal ratchets or can be hinged vertical by gas spring (depending on model)
- Fixed middle part
- Foot part can be hinged vertical by gas spring

Variants:

Length head part 550 mm | Square tube: Model 113, 114

Length head part 550 mm | Round tube: Model 121

Length head part 450 mm | Round tube: Model 122

Series DFH

2-sectioned table with fixed height made of square tube

Length head part: 550 mm

Model 21-00 and 32-00 white powder coated (RAL 9010)

Model 21-03 and 32-03 white aluminium powder coated (RAL 9006)

Model 21-04 and 32-04 silver aluminium powder coated (RAL 9007)

Model 22-01 and 36-01 chromium-plated



Model 21-00 with option:
Paper roll holder (1210)

Basic equipment:

- Table not movable, including height adjustment screws to compensate for uneven ground
- Head part positive adjustable
- Possibility to pin on a paper roll holder on head side and foot side
- Dewert-hygiene-equipment



Upholstery:

Lying surface 2-sectioned:

- Head part upwards (+30°) adjustable by 2 metal rachets
- Length head part: 550 mm
- Fixed foot part
- Length foot part: 1400 mm
- Upholstery thickness: 60 mm



Model 21-00 with options:
Movable on castors, each with lock (1120-10),
longitudinal brace (1310), paper roll holder (1210)

Technical data:

- Length overall: 1950 mm
- Width overall: Model 21-..., 22-01: 650 mm | Model 32-..., 36-01: 800 mm
- Height: 680 mm
- Load capacity: 250 kg



Design:

2 different variants for artificial leather eligible for upholstery covering:

- Skai® Pandoria Plus with velvet-smooth surface
- Skai® Toronto EN with innovative staynu-technology



Available as an option (see pricelist for additional options)

Mobility



Art. no. 1120-10
Movable on 4 castors,
Ø 100 mm, each with
total lock



Art. no. 1140-10
Movable on 4 castors,
Ø 125 mm, each with
total lock



Art. no. 1180N
Movable on twin castors,
Ø 100 mm with central lock
(not in case of chromium-
plated frame)



Art. no. 1185
Movable on twin castors,
Ø 125 mm with central lock
(not in case of chromium-plated
frame)

Longitudinal brace



Art. no. 1310 / 1320
Longitudinal brace for
additional stability,
necessary in case of
mobility

Head part options



Art. no. 1655
Head part stepless adjustable
by gas spring



Art. no. 1662
Additional second head
part of the same size,
adjustable by 2 metal
ratchets



Art. no. 1610
Nose opening

Art. no. 1620
Upholstery part to close

Side guards



Art. no. 1008
2 side guards foldable, RAL 9006
powder coated, length: 820 mm



Art. no. 1040
1 side guard tiltable, chromium-plated,
completely made of steel tube,
length: 700 mm



Art. no. 1005
1 side guard to fit on side rail, with
attachment clamp, chromium-plated,
length: 800 mm,

Paper roll holder



Art. no. 1210 / 1220
Paper roll holder,
for width 650 mm / 800 mm

Upholstery options

Art. no. 1770 / 1780
Soft covering for pleasant resting
comfort, for width 650 mm / 800 mm,
thickness 80 mm

Art. no. 1772 / 1782
Upholstery medium-soft (cold foam
cover), for width 650 mm / 800 mm,
thickness 70 mm



Art. no. 1850
Storage basket with mounting,
measures:
L. 530 x W. 370 x H. 80 mm

Add-on elements



Art. no. 1410
1 piece of side rail,
length: 350 mm

Art. no. 1420
1 piece of side rail,
length: 1300 mm



Art. no. 1430
1 attachment clamp for
side rail, suitable for pipe:
Ø 18 mm



Art. no. 1440
1 arm rest for side rail,
without attachment clamp



Art. no. 1450
Infusion pole, without
attachment clamp

Series DFH

2-sectioned table with fixed height made of square tube
Length head part: 750 mm

Model 20-00 white powder coated (RAL 9010)

Model 20-03 white aluminium powder coated (RAL 9006)

Model 20-04 silver aluminium powder coated (RAL 9007)



Both pictures:
Model 20-04
with option:
Paper roll holder (1210)

Basic equipment:

- Table not movable, including height adjustment screws to compensate for uneven ground
- Head part stepless adjustable to sitting position
- Possibility to pin on a paper roll holder on head side and foot side
- Dewert-hygiene-equipment



Upholstery:

Lying surface 2-sectioned:

- Head part stepless adjustable to +75° by gas spring (sitting position)
- Length head part: 750 mm
- Fixed foot part
- Length foot part: 1200 mm
- Upholstery thickness: 60 mm



Technical data:

- Length overall: 1950 mm
- Width overall: 650 mm
- Height: 680 mm
- Load capacity: 250 kg



Design:

2 different variants for artificial leather eligible for upholstery covering:

- Skai® Pandoria Plus with velvet-smooth surface
- Skai® Toronto EN with innovative staynu-technology



Available as an option (see pricelist for additional options)

Mobility



Art. no. 1120-10
Movable on 4 castors,
Ø 100 mm, each with
total lock



Art. no. 1140-10
Movable on 4 castors,
Ø 125 mm, each with
total lock



Art. no. 1180N
Movable on twin castors,
Ø 100 mm with central lock



Art. no. 1185
Movable on twin castors,
Ø 125 mm with central lock

Longitudinal brace



Art. no. 1310
Longitudinal brace for
additional stability,
necessary in case of mobility

Head part options



Art. no. 1662
Additional second head part of the
same size, adjustable by 2 metal
ratchets



Art. no. 1610
Nose opening

Art. no. 1620
Upholstery part to close

Side guards



Art. no. 1008
2 side guards foldable, RAL 9006
powder coated, length: 820 mm



Art. no. 1040
1 side guard tiltable, chromium-plated,
completely made of steel tube,
length: 700 mm



Art. no. 1005
1 side guard to fit on side rail, with
attachment clamp, chromium-plated,
length: 800 mm,

Paper roll holder



Art. no. 1210 / 1220
Paper roll holder,
for width 650 mm / 800 mm

Upholstery options

Art. no. 1770 / 1780
Soft covering for pleasant resting
comfort, for width 650 mm / 800 mm,
thickness 80 mm

Art. no. 1772 / 1782
Upholstery medium-soft (cold foam
cover), for width 650 mm / 800 mm,
thickness 70 mm



Art. no. 1850
Storage basket with mounting,
measures:
L. 530 x W. 370 x H. 80 mm

Add-on elements



Art. no. 1410
1 piece of side rail,
length: 350 mm

Art. no. 1420
1 piece of side rail,
length: 1300 mm



Art. no. 1430
1 attachment clamp for
side rail, suitable for pipe:
Ø 18 mm



Art. no. 1440
1 arm rest for side rail,
without attachment clamp



Art. no. 1450
Infusion pole, without
attachment clamp

Series DFH

2-sectioned table with fixed height made of square tube

Length head part: 550 mm

Model 27-00 and 37-00 white powder coated (RAL 9010)

Model 27-03 and 37-03 white aluminium powder coated (RAL 9006)

Model 27-04 and 37-04 silver aluminium powder coated (RAL 9007)



Both pictures:
Model 27-04 with option:
Paper roll holder (1210)

Basic equipment:

- Head part positive and negative adjustable
- Longitudinal brace for additional stability
- Frame welded as one unit
- Table not movable, including height adjustment screws to compensate for uneven ground
- Dewert-hygiene-equipment




Upholstery:

Lying surface 2-sectioned:

- Head part stepless adjustable by gas spring (-25° to +30°)
- Length head part: 550 mm
- Fixed foot part
- Length foot part: 1400 mm
- Upholstery thickness: 60 mm




Technical data:

- Length overall: 1950 mm
- Width overall: Model 27-...: 650 mm | Model 37-...: 800 mm
- Height: 650 mm
- Load capacity: 250 kg 

Design:

2 different variants for artificial leather eligible for upholstery covering:

- Skai® Pandoria Plus with velvet-smooth surface
- Skai® Toronto EN with innovative staynu-technology



Available as an option (see pricelist for additional options)



Mobility



Art. no. 1120-10
Movable on 4 castors,
Ø 100 mm, each with
total lock



Art. no. 1140-10
Movable on 4 castors,
Ø 125 mm, each with
total lock



Art. no. 1180N
Movable on twin castors,
Ø 100 mm with central lock



Art. no. 1185
Movable on twin castors,
Ø 125 mm with central lock

Head part options



Art. no. 1610
Nose opening

Art. no. 1620
Upholstery part to close

Paper roll holder



Art. no. 1210 / 1220
Paper roll holder, for width 650 mm /
800 mm

Upholstery options

Art. no. 1770 / 1780
Soft covering for pleasant resting
comfort, for width 650 mm / 800 mm,
thickness 80 mm

Art. no. 1772 / 1782
Upholstery medium-soft (cold foam
cover), for width 650 mm / 800 mm,
thickness 70 mm

Side guards



Art. no. 1008
2 side guards foldable, RAL 9006
powder coated, length: 820 mm



Art. no. 1040
1 side guard tilttable, chromium-plated, com-
pletely made of steel tube, length: 700 mm



Art. no. 1005
1 side guard to fit on side rail, with
attachment clamp, chromium-plated,
length: 800 mm,

Add-on elements



Art. no. 1410
1 piece of side rail,
length: 350 mm

Art. no. 1420
1 piece of side rail,
length: 1300 mm



Art. no. 1430
1 attachment clamp for
side rail, suitable for pipe:
Ø 18 mm



Art. no. 1440
1 arm rest for side rail,
without attachment clamp



Art. no. 1450
Infusion pole, without
attachment clamp

Series DFH

3-sectioned table with fixed height made of square tube

Length head part: 550 mm

Model 31-00 white powder coated (RAL 9010)

Model 31-03 white aluminium powder coated (RAL 9006)

Model 31-04 silver aluminium powder coated (RAL 9007)

NEW



Both pictures:
Model 31-00
with option:
Head part adjustable by
gas pring (1655)

Basic equipment:

- Table not movable, including height adjustment screws to compensate for uneven ground
- Longitudinal brace for additional stability
- Head part and foot part positive and negative adjustable
- Possibility to pin on a paper roll holder on head side and foot side
- Dewert-hygiene-equipment



Upholstery:

Lying surface 3-sectioned:

- Head part upwards (+30°) adjustable by 2 metal rachets
- Length head part: 550 mm
- Fixed middle part
- Length middle part: 450 mm
- Foot part stepless adjustable by gas spring (0° to +32°)
- Length foot part: 950 mm
- Upholstery thickness: 60 mm



Technical data:

- Length overall: 1950 mm
- Width overall: 650 mm, optional 800 mm
- Height: 680 mm
- Load capacity: 250 kg




Design:

2 different variants for artificial leather eligible for upholstery covering:

- Skai® Pandora Plus with velvet-smooth surface
- Skai® Toronto EN with innovative staynu-technology



Available as an option (see pricelist for additional options)



Mobility



Art. no. 1120-10
Movable on 4 castors,
Ø 100 mm, each with
total lock



Art. no. 1140-10
Movable on 4 castors,
Ø 125 mm, each with
total lock



Art. no. 1180N
Movable on twin castors,
Ø 100 mm with central lock



Art. no. 1185
Movable on twin castors,
Ø 125 mm with central lock

Head part options



Art. no. 1655
Head part stepless adjustable by
gas spring



Art. no. 1610
Nose opening

Art. no. 1620
Upholstery part to close

Side guards



Art. no. 1008
2 side guards foldable, RAL 9006
powder coated, length: 820 mm



Art. no. 1040
1 side guard tiltable, chromium-plated,
completely made of steel tube,
length: 700 mm



Art. no. 1005
1 side guard to fit on side rail, with
attachment clamp, chromium-plated,
length: 800 mm,

Paper roll holder



Art. no. 1210 / 1220
Paper roll holder,
for width 650 mm / 800 mm

Upholstery options

Art. no. 31-800:
Width of upholstery 800 mm

Art. no. 1770 / 1780
Soft covering for pleasant resting comfort, for
width 650 mm / 800 mm, thickness 80 mm

Art. no. 1772 / 1782
Upholstery medium-soft (cold foam cover), for
width 650 mm / 800 mm, thickness 70 mm



Art. no. 1850
Storage basket with mounting,
measures:
L. 530 x W. 370 x H. 80 mm

Add-on elements



Art. no. 1410
1 piece of side rail,
length: 350 mm

Art. no. 1420
1 piece of side rail,
length: 1300 mm



Art. no. 1430
1 attachment clamp for
side rail, suitable for pipe:
Ø 18 mm



Art. no. 1440
1 arm rest for side rail,
without attachment clamp



Art. no. 1450
Infusion pole, without
attachment clamp

Series DFH

3-sectioned table with fixed height made of square tube
Length head part: 750 mm

Model 30-00 white powder coated (RAL 9010)

Model 30-03 white aluminium powder coated (RAL 9006)

Model 30-04 silver aluminium powder coated (RAL 9007)

NEW



Both pictures:
Model 30-00
basic equipment

Basic equipment:

- Table not movable, including height adjustment screws to compensate for uneven ground
- Longitudinal brace for additional stability
- Head part and foot part positive and negative adjustable
- Possibility to pin on a paper roll holder on head side and foot side
- Dewert-hygiene-equipment




Upholstery:

Lying surface 3-sectioned:

- Head part stepless adjustable (0° to $+80^\circ$) by gas spring (sitting position)
- Length head part: 750 mm
- Fixed middle part
- Length middle part: 300 mm
- Foot part stepless adjustable by gas spring (0° to $+30^\circ$)
- Length foot part: 900 mm
- Upholstery thickness: 60 mm



Technical data:

- Length overall: 1950 mm
- Width overall: 650 mm, optional 800 mm
- Height: 680 mm
- Load capacity: 250 kg 


Design:

2 different variants for artificial leather eligible for upholstery covering:

- Skai® Pandoria Plus with velvet-smooth surface
- Skai® Toronto EN with innovative staynu-technology



Available as an option (see pricelist for additional options)



Mobility



Art. no. 1120-10
Movable on 4 castors,
Ø 100 mm, each with
total lock



Art. no. 1140-10
Movable on 4 castors,
Ø 125 mm, each with
total lock



Art. no. 1180N
Movable on twin castors,
Ø 100 mm with central lock



Art. no. 1185
Movable on twin castors,
Ø 125 mm with central lock

Head part options



Art. no. 1610
Nose opening

Art. no. 1620
Upholstery part to close

Side guards



Art. no. 1008
2 side guards foldable, RAL 9006
powder coated, length: 820 mm



Art. no. 1040
1 side guard tiltable, chromium-plated,
completely made of steel tube,
length: 700 mm



Art. no. 1005
1 side guard to fit on side rail, with
attachment clamp, chromium-plated,
length: 800 mm,

Paper roll holder



Art. no. 1210 / 1220
Paper roll holder,
for width 650 mm / 800 mm

Upholstery options

Art. no. 30-800:
Width of upholstery 800 mm

Art. no. 1770 / 1780
Soft covering for pleasant resting comfort, for
width 650 mm / 800 mm, thickness 80 mm

Art. no. 1772 / 1782
Upholstery medium-soft (cold foam cover), for
width 650 mm / 800 mm, thickness 70 mm



Art. no. 1850
Storage basket with mounting,
measures:
L. 530 x W. 370 x H. 80 mm

Add-on elements



Art. no. 1410
1 piece of side rail,
length: 350 mm

Art. no. 1420
1 piece of side rail,
length: 1300 mm



Art. no. 1430
1 attachment clamp for
side rail, suitable for pipe:
Ø 18 mm



Art. no. 1440
1 arm rest for side rail,
without attachment clamp



Art. no. 1450
Infusion pole, without
attachment clamp

Series DFH

2-sectioned table with fixed height made of round tube

Length head part: 550 mm

Model 106-01 and 107-01 chromium-plated

Model 106-00 and 107-00 white powder coated (RAL 9010)

Model 106-03 and 107-03 white aluminium powder coated (RAL 9006)

Model 106-04 and 107-04 silver aluminium powder coated (RAL 9007)



Both pictures:
Model 106-01 with option:
Paper roll holder (1210)



Basic equipment:

- Frame made of round tube
- Table not movable, including height adjustment screws to compensate for uneven ground
- Head part positive adjustable
- Dewert-hygiene-equipment



Upholstery:

Lying surface 2-sectioned:

- Head part upwards (+30°) adjustable by 2 metal ratchets
- Length head part: 550 mm
- Fixed foot part
- Length foot part: 1400 mm
- Upholstery thickness: 80 mm



Model 107-01 with option:
Paper roll holder (1220)



Technical data:

- Length overall: 1950 mm
- Width overall: Model 106-...: 650 mm | Model 107-...: 800 mm
- Height: 650 mm
- Load capacity: 250 kg



Design:

2 different variants for artificial leather eligible for upholstery covering:

- Skai® Pandoria Plus with velvet-smooth surface
- Skai® Toronto EN with innovative staynu-technology



Available as an option (see pricelist for additional options)

Mobility



Art. no. 1120-10
Movable on 4 castors,
Ø 100 mm, each with total
lock



Art. no. 1140-11
Movable on 4 castors,
Ø 125 mm, each with total
lock

Longitudinal brace



Art. no. 1310 / 1320
Longitudinal brace for
additional stability,
necessary in case of mobility

Paper roll holder



Art. no. 1210 / 1220
Paper roll holder, for width 650 mm /
800 mm

Upholstery options

Art. no. 1770 / 1780
Soft covering for pleasant resting
comfort, for width 650 mm / 800 mm,
thickness 80 mm

Art. no. 1772 / 1782
Upholstery medium-soft (cold foam
cover), for width 650 mm / 800 mm,
thickness 70 mm

Head part options



Art. no. 1655
Head part stepless adjustable
by gas spring



Art. no. 1662
Additional second head part of the
same size, adjustable by 2 metal
ratchets



Art. no. 1610
Nose opening

Art. no. 1620
Upholstery part to close

Series DFH

3-sectioned table with fixed height

Length head part: 550 mm

Model 120-00 white powder coated (RAL 9010)

Model 120-01 chromium-plated


Model 120-03 white aluminium powder coated (RAL 9006)

Model 120-04 silver aluminium powder coated (RAL 9007)



Both pictures:
Model 120-00
with option:
Paper roll holder (1210)


Basic equipment:

- Frame made of round tube
- Table not movable, including height adjustment screws to compensate for uneven ground
- Longitudinal brace for additional stability
- Head part positive adjustable
- Foot part positive adjustable
- Dewert-hygiene-equipment 


Upholstery:

Lying surface 3-sectioned:

- Head part upwards (+30°) adjustable by 2 metal rachets
- Length head part: 550 mm
- Fixed middle part
- Length middle part: 450 mm
- Foot part stepless adjustable by gas spring (0° to +28°)
- Length foot part: 950 mm
- Upholstery thickness: 60 mm



Technical data:

- Length overall: 1950 mm
- Width overall: 650 mm
- Height: 650 mm
- Load capacity: 250 kg 

Design:

2 different variants for artificial leather eligible for upholstery covering:

- Skai® Pandoria Plus with velvet-smooth surface
- Skai® Toronto EN with innovative staynu-technology



Available as an option (see pricelist for additional options)

Mobility



Art. no. 1120-10
Movable on 4 castors,
Ø 100 mm, each with
total lock



Art. no. 1140-10
Movable on 4 castors,
Ø 125 mm, each with
total lock



Art. no. 1180N
Movable on twin castors,
Ø 100 mm with central lock
(not in case of chromium-
plated frame)



Art. no. 1185
Movable on twin castors,
Ø 125 mm with central lock
(not in case of chromium-plated
frame)



Paper roll holder



Art. no. 1210
Paper roll holder, for width 650 mm /
800 mm

Upholstery options

Art. no. 1770
Soft covering for pleasant resting
comfort, for width 650 mm, thickness
80 mm

Art. no. 1772
Upholstery medium-soft (cold foam
cover), for width 650 mm, thickness
70 mm

Head part options



Art. no. 1655
Head part stepless adjustable
by gas spring



Art. no. 1610
Nose opening

Art. no. 1620
Upholstery part to close

Series DFH

3-sectioned table with fixed height

Length head part: 550 mm

Model 119-01 chromium-plated

Model 119-00 white powder coated (RAL 9010)


Model 119-03 white aluminium powder coated (RAL 9006)

Model 119-04 silver aluminium powder coated (RAL 9007)



Both pictures:
Model 119-01 with option:
Paper roll holder (1210)

Basic equipment:

- Frame made of round tube
- Head part positive and negative adjustable
- Table not movable, including height adjustment screws to compensate for uneven ground
- Longitudinal brace for additional stability
- Dewert-hygiene-equipment 


Upholstery:

Lying surface 3-sectioned:

- Head part stepless adjustable by gas spring (-25° to +45°)
- Length head part: 550 mm
- Fixed middle part
- Length middle part: 450 mm
- Foot part stepless adjustable by gas spring (0° to +28°)
- Length foot part: 950 mm
- Upholstery thickness: 80 mm



Technical data:

- Length overall: 1950 mm
- Width overall: 650 mm
- Height: 650 mm
- Load capacity: 250 kg 

Design:

2 different variants for artificial leather eligible for upholstery covering:

- Skai® Pandoria Plus with velvet-smooth surface
- Skai® Toronto EN with innovative staynu-technology



Mobility



Art. no. 1120-10
Movable on 4 castors,
Ø 100 mm, each with
total lock



Art. no. 1140-11
Movable on 4 castors,
Ø 125 mm, each with total
lock

Head part options



Art. no. 1610
Nose opening

Art. no. 1620
Upholstery part to close

Paper roll holder



Art. no. 1210
Paper roll holder,
for width 650 mm / 800 mm

Upholstery options

Art. no. 1770
Soft covering for pleasant resting
comfort, for width 650 mm, thickness
80 mm

Art. no. 1772
Upholstery medium-soft (cold foam
cover), for width 650 mm, thickness
70 mm

Series DFH

Short tables for examination and treatment 1-sectioned table with fixed height

Model 16-00 and 17-00 white powder coated (RAL 9010)

Model 16-03 and 17-03 white aluminium powder coated (RAL 9006)

Model 16-04 and 17-04 silver aluminium powder coated (RAL 9007)



Both pictures:
Model 16-00 with option:
Paper roll holder (1210)



Basic equipment:

- Table not movable, including height adjustment screws to compensate for uneven ground
- Possibility to pin on a paper roll holder on both traverse sides
- Dewert-hygiene-equipment




Upholstery:

Lying surface 1-sectioned:

- Length: 1450 mm (other measures possible on request)
- Upholstery thickness: 60 mm



Technical data:


- Length overall: 1450 mm
- Width overall: Model 16-...: 650 mm | Model 17-...: 800 mm
- Height: 650 mm
- Load capacity: 250 kg 



Design:

2 different variants for artificial leather eligible for upholstery covering:

- Skai® Pandoria Plus with velvet-smooth surface
- Skai® Toronto EN with innovative staynu-technology



Available as an option (see pricelist for additional options)

Mobility



Art. no. 1120-10
Movable on 4 castors,
Ø 100 mm, each with
total lock



Art. no. 1140-10
Movable on 4 castors,
Ø 125 mm, each with
total lock



Art. no. 1180N
Movable on twin castors,
Ø 100 mm with central lock



Art. no. 1185
Movable on twin castors,
Ø 125 mm with central lock



Longitudinal brace



Art. no. 1310
Longitudinal brace for additional
stability, necessary in case of
mobility

Paper roll holder



Art. no. 1210 / 1220
Paper roll holder, for width 650 mm /
800 mm

Upholstery options

Art. no. 1770 / 1780
Soft covering for pleasant resting
comfort, for width 650 mm / 800 mm,
thickness 80 mm

Art. no. 1772 / 1782
Upholstery medium-soft (cold foam
cover), for width 650 mm / 800 mm,
thickness 70 mm

Series DFH

Short tables for examination and treatment 3-sectioned table with fixed height (square tube)

Model 113-00 and 114-00 white powder coated (RAL 9010)

Model 113-01 and 114-01 chromium-plated

Model 113-03 and 114-03 white aluminium powder coated (RAL 9006)

Model 113-04 and 114-04 silver aluminium powder coated (RAL 9007)



All pictures:
Model 113-01 with option:
Paper roll holder (1210)



Basic equipment:

- Foot part can be hinged vertical
- Table not movable, including height adjustment screws to compensate for uneven ground
- Dewert-hygiene-equipment




Upholstery:

Lying surface 3-sectioned:

- Head part upwards (+30°) adjustable by 2 metal ratchets
- Length head part: 550 mm
- Fixed middle part
- Length middle part: 920 mm
- Foot part stepless adjustable (-90° - +10°) by gas spring (can be hinged vertical)
- Length foot part: 480 mm
- Upholstery thickness: 80 mm




Technical data:

- Length overall: 1950 mm
- Width overall: Model 113-...: 650 mm | Model 114-...: 800 mm
- Height: 800 mm
- Load capacity: 250 kg 

Design:

2 different variants for artificial leather eligible for upholstery covering:

- Skai® Pandoria Plus with velvet-smooth surface
- Skai® Toronto EN with innovative staynu-technology



Mobility



Art. no. 1120-10
Movable on 4 castors,
Ø 100 mm, each with total
lock

Longitudinal brace



Art. no. 1310 / 1320
Longitudinal brace for additional
stability, necessary in case of
mobility

Paper roll holder



Art. no. 1210 / 1220
Paper roll holder, for width 650 mm /
800 mm

Upholstery options

Art. no. 1770 / 1780
Soft covering for pleasant resting
comfort, for width 650 mm / 800 mm,
thickness 80 mm

Art. no. 1772 / 1782
Upholstery medium-soft (cold foam
cover), for width 650 mm / 800 mm,
thickness 70 mm

Head part options



Art. no. 1655
Head part stepless adjustable
by gas spring



Art. no. 1610
Nose opening

Art. no. 1620
Upholstery part to close

Side guards



Art. no. 1008
2 side guards foldable, RAL 9006
powder coated, length: 820 mm



Art. no. 1040
1 side guard tiltable, chromium-plated,
completely made of steel tube,
length: 700 mm



Art. no. 1005
1 side guard to fit on side rail, with
attachment clamp, chromium-plated,
length: 800 mm,

Add-on elements



1 piece of side rail,
length: 350 mm

Art. no. 1420
1 piece of side rail,
length: 1300 mm



Art. no. 1430
1 attachment clamp for
side rail, suitable for pipe:
Ø 18 mm



Art. no. 1440
1 arm rest for side rail,
without attachment clamp



Art. no. 1450
Infusion pole, without
attachment clamp

Series DFH

Short tables for examination and treatment 3-sectioned table with fixed height (round tube)

Model 121-01 chromium-plated

Model 121-00 white powder coated (RAL 9010)

Model 121-03 white aluminium powder coated (RAL 9006)

Model 121-04 silver aluminium powder coated (RAL 9007)



All pictures:
Model 121-01
with option:
Paper roll holder (1210)



Basic equipment:

- Frame made of round tube
- Longitudinal brace for additional stability
- Foot part can be hinged vertical
- Table not movable, including height adjustment screws to compensate for uneven ground
- Dewert-hygiene-equipment



Upholstery:

Lying surface 3-sectioned:

- Head part upwards (+30°) adjustable by 2 metal ratchets
- Length head part: 550 mm
- Fixed middle part
- Length middle part: 900 mm
- Foot part stepless adjustable (-90° to +20°) by gas spring (can be hinged vertical)
- Length foot part: 500 mm
- Upholstery thickness: 80 mm



Technical data:

- Length overall: min. 1550 mm, max. 1970 mm
- Width overall: 650 mm
- Height: 800 mm
- Load capacity: 250 kg (foot part vertical downwards)



Design:

2 different variants for artificial leather eligible for upholstery covering:

- Skai® Pandoria Plus with velvet-smooth surface
- Skai® Toronto EN with innovative staynu-technology



Mobility



Art. no. 1120-10
Movable on 4 castors,
Ø 100 mm, each with
total lock

Head part options



Art. no. 1655
Head part stepless adjustable
by gas spring



Art. no. 1610
Nose opening

Art. no. 1620
Upholstery part to close

Paper roll holder



Art. no. 1210
Paper roll holder,
for width 650 mm / 800 mm

Upholstery options

Art. no. 1770
Soft covering for pleasant resting
comfort, for width 650 mm, thickness
80 mm

Art. no. 1772
Upholstery medium-soft (cold foam
cover), for width 650 mm, thickness 70
mm

Series DFH

Short tables for examination and treatment 3-sectioned table with fixed height (round tube)

Model 122-00 white powder coated (RAL 9010)

Model 122-01 chromium-plated

Model 122-03 white aluminium powder coated (RAL 9006)

Model 122-04 silver aluminium powder coated (RAL 9007)



All pictures.:
Model 122-00
with options:
Movable on castors, each
with lock (1120-10),
Paper roll holder (1210)



Basic equipment:

- Frame made of round tube
- Head part and foot part can be hinged vertical
- Table not movable, including height adjustment screws to compensate for uneven ground
- Longitudinal brace for additional stability
- Dewert-hygiene-equipment



Upholstery:

Lying surface 3-sectioned:

- Head part stepless adjustable (-90° to +25°) by gas spring (can be hinged vertical)
- Length head part: 450 mm
- Fixed middle part
- Length middle part: 1120 mm
- Foot part stepless adjustable (-90° to +25°) by gas spring (can be hinged vertical)
- Length foot part: 450 mm
- Upholstery thickness: 80 mm



Technical data:

- Length overall: min. 1300 mm, max. 2020 mm
- Width overall: 650 mm
- Height: 800 mm
- Load capacity: 250 kg (head part and foot part vertical downwards)



Design:

2 different variants for artificial leather eligible for upholstery covering:

- Skai® Pandoria Plus with velvet-smooth surface
- Skai® Toronto EN with innovative staynu-technology



Available as an option (see pricelist for additional options)

Mobility



Art. no. 1120-10
Movable on 4 castors,
Ø 100 mm, each with total lock


Head part options



Art. no. 1610
Nose opening

Art. no. 1620
Upholstery part to close

Paper roll holder



Art. no. 1265K
Paper roll holder, for width 650 mm

Upholstery options

Art. no. 1770
Soft covering for pleasant resting comfort, for
width 650 mm, thickness 80 mm

Art. no. 1772
Upholstery medium-soft (cold foam cover), for
width 650 mm, thickness 70 mm

Folding wall tables

2-sectioned folding wall table, turnable along the long side

Length head part: 550 mm

Head part left: **Model 125-00/L white powder coated (RAL 9010)**

Model 125-01/L chromium-plated

Model 125-03/L white aluminium powder coated (RAL 9006)

Model 125-04/L silver aluminium powder coated (RAL 9007)

Head part right: **Model 125-00/R white powder coated (RAL 9010)**

Model 125-01/R chromium-plated

Model 125-03/R white aluminium powder coated (RAL 9006)

Model 125-04/R silver aluminium powder coated (RAL 9007)




All pictures:
Model 125-01/L

Function:

- Turnable to the wall **along the long side** upwards or downwards
- **Easy operation:**
Swinging out of the feet supported by gas spring
- **High stability and less load to the wall:**
In functional state the table stands on its feet

Please note:

- Mounting with standard wall holders is only allowed at a solid wall
- For other wall constructions special wall holders (art. No. 125-1380) with additional stabilization at the floor are necessary (possible if there is no baseboard at the table's location)



Technology:

- Frame construction made of square tube 30 x 30 x 2 mm
- Galvanised steel hinges connect the upholstery parts
- 2 stable parallel mounted safety metal ratchets for positive adjustment of head part



Basic equipment:

- Head part positive adjustable
- Dewert-hygiene-equipment



Included in the scope of supply:

- 2 wall holders for table fixation
- 1 safety holder including belt for safety fixation if the table is turned upwards
- 1 spacer as a swinging stop if the table turned downwards

Upholstery:

Lying surface 2-sectioned:

- Head part upwards (+30°) adjustable by 2 metal rachets
- Length head part: 550 mm
- Fixed foot part
- Length foot part: 1400 mm
- Upholstery thickness: 80 mm



Technical data:


- Length overall: 1950 mm
- Length including wall holders: 2040 mm
- Width overall: 650 mm
- Height: 700 mm
- Weight: 35 kg
- Load capacity (only for solid walls): 200 kg




Design:

2 different variants for artificial leather eligible for upholstery covering:

- Skai® Pandoria Plus with velvet-smooth surface
- Skai® Toronto EN with innovative staynu-technology



Additional option:



Art. no. 125-1380
Special wall holders

Folding wall tables

2-sectioned folding wall table, turnable along the head part
Length head part: 550 mm

Model 126-00 white powder coated (RAL 9010)

Model 126-01 chromium-plated

Model 126-03 white aluminium powder coated (RAL 9006)

Model 126-04 silver aluminium powder coated (RAL 9007)



All pictures:
Model 126-01

Function:

- Turnable to the wall **along the head side** (upwards)
- **Easy operation:**
In functional state the table stands on its feet.
For turning downwards, the front pair of feet has to swing and needs to be fixed at the frame by a screw.
- **High stability and less load to the wall:**
In folded position the table stands on its rear foot frame which is fixed at the wall and supported by the floor.

Please note:

- Mounting with standard wall holders is only allowed at a solid wall
- **Necessary room height:** 2420 mm

Technology:

- Frame construction made of square tube
30 x 30 x 2 mm
- Galvanised steel hinges connect the upholstery parts
- 2 stable parallel mounted safety metal ratchets for positive adjustment of head part





Basic equipment:

- Head part positive adjustable
- Dewert-hygiene-equipment



Included in the scope of supply:

- 2 wall holders including belt for fixation if the table is turned upwards


Upholstery:

Lying surface 2-sectioned:

- Head part upwards (+30°) adjustable by 2 metal ratchets
- Length head part: 550 mm
- Fixed foot part
- Length foot part: 1400 mm
- Upholstery thickness: 80 mm



Technical data:

- Length overall: 1950 mm
 - Length including wall holders: 2040 mm
 - Width overall: 650 mm
 - Height: 700 mm
 - Weight: 34 kg
 - Load capacity (only for solid walls): 200 kg
- 
- Necessary room height: 2420 mm
 - Distance head part upholstery – wall: 90 mm
 - Distance wall mounting – width of lying surface: 90 mm
 - Place of the 2 wall holders: 1430 mm




Design:

2 different variants for artificial leather eligible for upholstery covering:

- Skai® Pandoria Plus with velvet-smooth surface
- Skai® Toronto EN with innovative staynu-technology






K.H. Dewert GmbH
Vollmestraße 7
33649 Bielefeld
Germany

Post office 14 40 28
33634 Bielefeld
Germany

Phone + 49 (0) 5 21 / 4 00 27-0
Fax + 49 (0) 5 21 / 4 00 27-27

Internet: www.khdewert.de
E-Mail: info@khdewert.de
YouTube: K.H. Dewert

You will find the whole Dewert product range with additional articles and equipment on our website and in our further catalogues.  We look forward to hear from you!



SERIES DFH - VERSATILE TABLES WITH FIXED HEIGHT



05.2021_01